


TEXTILE SCREENS

2026



CONTENTS

TEXTILE SCREENS


ZIP110	4
ZIP150	8
Surcharges	12
ZIP100	14
ZIP135	18
Surcharges	22
WS100	24
Surcharges	28

TEXTILE SCREENS


ZIP110

STANDARD DESIGN

Box	extruded aluminium
	square
	colour according to RAL
	without blanking profile and without mounting profile on the rear side of the box
Sides	aluminium castings
	colour according to RAL
Roller tube	galvanized steel, Ø 70 (78) mm
Control	control by standard wired motor
Fabric	Sergé 3%, according to the NEVA swatch
	Soltis Perform 92, according to the NEVA swatch
	with welded zipper on the sides of the fabric, zipper color gray
	upper part of the fabric equipped with a Fastfix profile
	bottom part of the fabric with welded ZIP, zipper color gray
Guiding rails	self-locking
	VP110 type – exposed or flush-mounted
	VP47 type – exposed
	extruded aluminium in RAL colour
	plastic profile ZIP110/ZIP150, anthracite grey (RAL 7016)
	pre-drilled holes for wall-/reveal-mounting
	plastic endcaps of guiding rails, black
Bottom bar	extruded aluminium, 30 × 55 mm
	colour according to RAL
	including weight
	plastic endcaps, colour black
	nothing or rubber or brush in the bottom bar




SQUARE BOX



BOTTOM BAR WITH A RUBBER



BOTTOM BAR WITH A BRUSH



ZIP110

HEIGHT	WIDTH								
	mm	800	1000	1200	1400	1600	1800	2000	2200
1000	739	782	843	884	927	968	1009	1045	
1200	772	818	882	925	970	1013	1056	1095	
1400	809	857	923	968	1016	1061	1107	1148	
1600	842	893	961	1009	1058	1106	1154	1198	
1800	879	932	1002	1052	1104	1155	1205	1251	
2000	914	969	1042	1094	1149	1201	1254	1302	
2200	949	1006	1082	1137	1193	1248	1303	1354	
2400	982	1042	1120	1177	1236	1293	1351	1404	
2600	1019	1081	1161	1221	1282	1341	1401	1456	
2800	1055	1120	1202	1264	1328	1390	1452	1509	
3000	1089	1156	1240	1305	1371	1435	1499	1559	
3200	1125	1195	1282	1348	1416	1483	1550	1612	
3400	1159	1230	1320	1389	1459	1528	1597	1662	
3500	1178	1251	1342	1412	1484	1554	1624	1690	


Dimensions are in mm, amounts in EUR. Always count the next higher blind size. The price list is valid as of 5. 1. 2026.

HEIGHT	WIDTH									
	mm	2400	2600	2800	3000	3200	3400	3600	3800	4000
1000	1087	1128	1169	1210	1252	1293	1335	1376	1417	
1200	1139	1182	1226	1270	1314	1357	1401	1445	1488	
1400	1194	1240	1286	1332	1378	1424	1470	1517	1562	
1600	1247	1295	1343	1391	1440	1488	1537	1585	1633	
1800	1302	1352	1402	1453	1504	1555	1606	1657	1707	
2000	1356	1408	1461	1514	1568	1620	1674	1727	1780	
2200	1409	1464	1519	1575	1678	1733	1789	1845	1900	
2400	1462	1519	1576	1634	1740	1797	1855	1914	1971	
2600	1517	1576	1636	1696	1805	1864	1925	1985	2045	
2800	1572	1634	1696	1759	1869	1931	1994	2057	2119	
3000	1624	1689	1753	1818	1931	1995	2060	2125	2190	
3200	1680	1746	1813	1880	1995	2062	2129	2197	2264	
3400	1732	1801	1870	1939	2057	2126	2196	2266	2335	
3500	1761	1831	1901	1972	2091	2161	2232	2303	2373	


ZIP150

STANDARD DESIGN

Box	extruded aluminium
	square
	colour according to RAL
	without blanking profile and without mounting profile on the rear side of the box
Bočnice	aluminium castings
	colour according to RAL
Hřidel	galvanized steel, Ø 78 mm
	extruded aluminium, Ø 100 mm
Ovládání	control by standard wired motor
Látka	Sergé 3%, according to the NEVA swatch
	Soltis Perform 92, according to the NEVA swatch
	with welded zipper on the sides of the fabric, zipper color gray
	upper part of the fabric equipped with a Fastfix profile
	bottom part of the fabric with welded ZIP, zipper color gray
Vodící profily	self-locking
	VP150 type – exposed or flush-mounted
	VP47 type – exposed
	extruded aluminium in RAL colour
	plastic profile ZIP110/ZIP150, anthracite grey (RAL 7016)
	prior-drilled holes for wall-/reveal-mounting
	plastic endcaps of guiding rails, black
Spodní profil	extruded aluminium, 30 × 55 mm
	colour according to RAL
	including weight
	plastic endcaps, colour black
	nothing or rubber or brush in the bottom bar




SQUARE BOX



BOTTOM BAR WITH A RUBBER



BOTTOM BAR WITH A BRUSH



ZIP150

mm	WIDTH												
	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200
1000	802	851	918	964	1013	1059	1106	1148	1195	1242	1288	1335	1383
1200	842	893	962	1011	1062	1110	1159	1204	1253	1302	1351	1401	1450
1400	884	938	1010	1061	1114	1165	1216	1263	1315	1366	1417	1469	1521
1600	924	980	1054	1107	1163	1216	1270	1319	1373	1427	1480	1534	1589
1800	966	1025	1101	1157	1214	1270	1326	1378	1434	1490	1546	1603	1659
2000	1008	1069	1147	1205	1265	1323	1381	1435	1494	1552	1611	1670	1729
2200	1049	1112	1193	1253	1315	1376	1437	1493	1554	1615	1675	1736	1846
2400	1088	1154	1237	1300	1365	1427	1490	1549	1613	1675	1738	1802	1913
2600	1131	1199	1284	1350	1416	1482	1547	1608	1674	1739	1804	1870	1984
2800	1174	1244	1332	1399	1468	1536	1604	1667	1735	1803	1870	1939	2055
3000	1213	1286	1376	1446	1517	1587	1657	1723	1794	1863	1933	2004	2123
3200	1256	1331	1423	1496	1569	1642	1714	1782	1855	1927	1999	2072	2193
3400	1295	1373	1468	1542	1618	1693	1768	1838	1913	1988	2062	2138	2261
3600	1338	1418	1515	1592	1670	1747	1824	1897	1975	2051	2128	2206	2332
3800	1409	1491	1562	1641	1722	1802	1881	1956	2036	2115	2194	2274	2402
4000	1449	1533	1607	1688	1771	1853	1935	2012	2094	2176	2257	2340	2470
4200	1492	1578	1654	1738	1823	1907	1991	2071	2156	2240	2323	2408	2541
4400	1531	1620	1698	1784	1872	1959	2045	2127	2214	2300	2387	2474	2608
4600	1574	1665	1745	1834	1924	2013	2101	2186	2275	2364	2453	2542	2679
4800	1614	1707	1790	1881	1973	2064	2155	2242	2334	2425	2516	2607	2747
5000	1656	1752	1837	1930	2025	2119	2212	2301	2395	2488	2582	2676	2818
5200	1694	1792	1879	1975	2072	2168	2263	2360	2456	2552	2648	2744	2888
5400	1733	1834	1924	2022	2121	2219	2317	2416	2515	2613	2711	2809	2956
5600	1776	1879	1971	2071	2173	2273	2374	2475	2576	2676	2777	2878	3027
5800	1816	1921	2015	2118	2222	2325	2427	2531	2634	2737	2840	2943	3094
6000	1858	1966	2062	2167	2274	2379	2484	2590	2696	2801	2906	3011	3165

mm	WIDTH													
	3400	3600	3800	4000	4200	4400	4600	4800	5000	5200	5400	5600	5800	6000
1000	1429	1476	1524	1570	2036	2075	2115	2155	2195	2234	2274	2313	2353	2392
1200	1499	1549	1598	1647	2115	2157	2200	2241	2283	2325	2367	2409	2451	2492
1400	1572	1624	1676	1727	2197	2242	2287	2331	2375	2419	2464	2507	2552	2596
1600	1642	1697	1751	1804	2277	2324	2371	2417	2464	2510	2557	2603	2650	2696
1800	1715	1772	1829	1884	2359	2408	2458	2506	2556	2604	2654	2702	2751	2800
2000	1787	1846	1905	1963	2440	2492	2543	2594	2646	2697	2749	2799	2851	2902
2200	1906	1967	2029	2089	2521	2575	2629	2682	2736	2789	2844	2897	2951	3004
2400	1976	2040	2104	2167	2601	2657	2713	2769	2825	2881	2937	2993	3049	3104
2600	2049	2115	2181	2247	2683	2742	2800	2858	2917	2975	3033	3091	3150	3208
2800	2122	2191	2259	2327	2765	2826	2887	2948	3009	3069	3130	3190	3251	3311
3000	2192	2263	2334	2404	2845	2908	2971	3034	3097	3160	3223	3286	3349	3412
3200	2265	2338	2411	2484	2927	2993	3059	3123	3189	3254	3320	3385	—	—
3400	2336	2411	2486	2561	3007	3075	3143	3210	3278	3345	3413	—	—	—
3600	2409	2486	2564	2641	3089	3159	3230	3299	3370	3439	3510	—	—	—
3800	2482	2562	2642	2721	3171	3244	3317	3389	3461	3533	—	—	—	—
4000	2552	2634	2716	2798	3251	3326	3401	3475	3550	3624	—	—	—	—
4200	2625	2709	2794	2878	—	—	—	—	—	—	—	—	—	—
4400	2695	2782	2869	2955	—	—	—	—	—	—	—	—	—	—
4600	2768	2857	2947	3035	—	—	—	—	—	—	—	—	—	—
4800	2838	2930	3021	3112	—	—	—	—	—	—	—	—	—	—
5000	2911	3005	3099	3192	—	—	—	—	—	—	—	—	—	—
5200	2984	3080	3177	3272	—	—	—	—	—	—	—	—	—	—
5400	3054	3153	3252	3350	—	—	—	—	—	—	—	—	—	—
5600	3127	3228	3329	3430	—	—	—	—	—	—	—	—	—	—
5800	3197	3301	3404	3507	—	—	—	—	—	—	—	—	—	—
6000	3270	3376	3482	3587	—	—	—	—	—	—	—	—	—	—

Dimensions are in mm, amounts in EUR. Always count the next higher blind size. The price list is valid as of 5. 1. 2026.

SURCHARGES

	Price	
Motor Somfy Maestria WT	32 EUR	
Motor Somfy Maestria+ 50 io	124 EUR	
Motor Gaposa radio-controlled	45 EUR	
Motor Somfy Solar standard	490 EUR	
Motor Gaposa Solar standard	245 EUR	
Motor Gaposa Solar external	300 EUR	
Somfy 10 m extension cable – without Hirschmann STAS 3	55 EUR	
5 m motor cable for Gaposa – without Hirschmann STAS 3	27 EUR	
10 m motor cable for Gaposa – without Hirschmann STAS 3	37 EUR	
L-profile including attachment to the box	21 EUR	price per ordinary meter

FABRICS

Atypical fabric	+50% added to the basic price of textile screen
Sergé Xinix 0% (blackout)	+25% added to the basic price of textile screen

ZIP100

STANDARD DESIGN

Box	extruded aluminium
	square, half-rounded
	colour according to RAL
Sides	aluminium castings
	colour according to RAL
Roller tube	galvanized steel, Ø 78 (70) mm
Control	control by standard wired motor
Fabric	Sergé 3%, according to the NEVA swatch
	Soltis Perform 92, according to the NEVA swatch
	with welded zipper on the sides of the fabric, zipper color gray
	upper part of the fabric equipped with a Fastfix profile
	lower part of the fabric has a pocket with a plastic locking profile
Guiding rails	SNP type – clip-on or SCR type – threaded
	Extruded aluminium
	coextruded plastic ZIP inlay, black
	RAL colour
	prior-drilled holes for wall-/reveal-mounting
	plastic endcaps of guiding rails, black
Bottom bar	extruded aluminium, 30 × 26 mm (small) or 30 × 55 mm (large)
	colour according to RAL
	including weight
	plastic endcaps, colour black



SQUARE BOX

HALF-ROUNDED BOX

BOTTOM BAR SMALL



ZIP100

HEIGHT	WIDTH								
	mm	800	1000	1200	1400	1600	1800	2000	2200
1000		426	459	491	525	560	596	632	670
1200		452	486	521	557	593	631	670	709
1400		479	514	551	588	627	667	708	751
1600		506	544	582	622	662	705	747	792
1800		534	573	614	656	698	743	788	835
2000		563	605	647	691	735	782	829	878
2200		593	635	680	727	774	821	872	923
2400		622	668	715	763	812	863	915	968
2600		653	700	750	800	852	904	959	1014
2800		684	734	786	838	892	948	1005	1062
3000		717	769	823	877	934	992	1050	1111
3200		750	804	860	917	975	1036	1097	1160
3400		783	840	898	958	1019	1081	1145	1212
3500		818	877	937	999	1062	1128	1194	1263

Dimensions are in mm, amounts in EUR. Always count the next higher blind size. The price list is valid as of 5. 1. 2026.

HEIGHT	WIDTH									
	mm	2400	2600	2800	3000	3200	3400	3600	3800	4000
1000		709	748	790	831	874	918	963	1009	1055
1200		751	792	836	879	925	971	1018	1067	1116
1400		793	838	883	929	976	1025	1074	1126	1177
1600		837	884	932	980	1030	1081	1132	1186	1240
1800		881	930	981	1032	1084	1138	1192	1248	1304
2000		927	978	1031	1084	1140	1195	1252	1311	1371
2200		975	1029	1083	1139	1196	1254	1314	1375	1438
2400		1023	1079	1135	1194	1254	1315	1377	1442	1507
2600		1072	1130	1190	1251	1313	1377	1443	1509	1577
2800		1122	1182	1245	1309	1374	1441	1508	1578	1649
3000		1174	1237	1301	1368	1436	1505	1576	1648	1722
3200		1225	1291	1359	1429	1498	1571	1644	1720	1796
3400		1278	1348	1418	1490	1563	1638	1714	1793	1872
3500		1333	1405	1478	1552	1628	1707	1786	1867	1950

BOTTOM BAR small - 26 mm large - 55 mm

ZIP135

STANDARD DESIGN



Box	extruded aluminium
	square, half-rounded
	colour according to RAL
Sides	aluminium castings
	colour according to RAL
Roller tube	galvanized steel, Ø 78 mm
	extruded aluminium, Ø 100 mm
Control	control by standard wired motor
Fabric	Sergé 3%, according to the NEVA swatch
	Soltis Perform 92, according to the NEVA swatch
	with welded zipper on the sides of the fabric, zipper color gray
	upper part of the fabric equipped with a Fastfix profile
	lower part of the fabric has a pocket with a plastic locking profile
Guiding rails	SCR type – threaded
	Extruded aluminium
	coextruded plastic ZIP inlay, black
	RAL colour
	prior-drilled holes for wall-/reveal-mounting
	plastic endcaps of guiding rails, black
Bottom bar	extruded aluminium, 30 × 55 mm (large)
	colour according to RAL
	including weight
	plastic endcaps, colour black



SQUARE BOX

HALF-ROUNDED BOX

BOTTOM BAR LARGE



ZIP135

mm	WIDTH												
	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200
1000	559	608	659	711	765	820	877	936	982	1027	1073	1120	1167
1200	590	642	694	748	805	863	922	983	1031	1079	1127	1176	1225
1400	622	675	730	788	845	906	969	1032	1081	1131	1181	1232	1284
1600	654	710	767	827	888	950	1015	1081	1133	1186	1238	1291	1345
1800	687	745	805	867	930	996	1063	1132	1186	1240	1296	1350	1407
2000	721	782	844	909	974	1043	1113	1183	1240	1297	1353	1411	1470
2200	744	806	871	937	1005	1074	1146	1219	1277	1336	1395	1454	1514
2400	767	831	897	965	1035	1107	1180	1256	1315	1375	1436	1497	1558
2600	790	856	924	994	1066	1140	1215	1292	1353	1416	1478	1540	1603
2800	814	881	951	1023	1096	1172	1250	1329	1393	1456	1519	1583	1649
3000	838	906	978	1051	1128	1205	1285	1366	1431	1496	1562	1628	1695
3200	861	933	1006	1081	1158	1238	1320	1404	1470	1537	1604	1672	1740
3400	886	959	1034	1110	1190	1272	1356	1442	1509	1578	1647	1716	1786
3600	910	984	1061	1141	1223	1305	1392	1480	1550	1619	1690	1761	1833
3800	934	1011	1090	1170	1254	1339	1428	1518	1589	1661	1734	1807	1880
4000	959	1037	1118	1201	1287	1374	1463	1556	1629	1703	1777	1853	1928
4200	984	1063	1146	1231	1319	1409	1501	1595	1669	1745	1821	1898	1975
4400	1008	1091	1176	1262	1351	1444	1538	1634	1711	1788	1866	1944	2023
4600	1034	1118	1204	1293	1385	1479	1575	1673	1751	1831	1910	1990	2072
4800	1059	1145	1233	1324	1418	1514	1612	1713	1793	1873	1955	2037	2120
5000	1084	1172	1263	1356	1451	1550	1650	1752	1834	1917	2001	2085	2169
5200	1110	1200	1292	1387	1485	1586	1688	1793	1877	1961	2046	2132	2218
5400	1136	1228	1323	1420	1519	1622	1726	1833	1919	2005	2092	2180	2268
5600	1163	1256	1352	1451	1553	1658	1764	1873	1962	2049	2138	2228	2318
5800	1189	1285	1383	1484	1588	1693	1804	1915	2004	2094	2185	2276	2367
6000	1215	1313	1413	1517	1623	1731	1842	1956	2047	2139	2231	2325	2417

mm	WIDTH													
	3400	3600	3800	4000	4200	4400	4600	4800	5000	5200	5400	5600	5800	6000
1000	1214	1262	1310	1358	1407	1456	1506	1556	1606	1658	1709	1760	1812	1865
1200	1274	1324	1374	1425	1475	1528	1579	1631	1685	1737	1792	1845	1899	1954
1400	1336	1387	1441	1493	1546	1600	1654	1709	1764	1820	1876	1931	1988	2046
1600	1398	1453	1507	1563	1618	1675	1731	1788	1845	1903	1962	2020	2079	2138
1800	1462	1519	1577	1634	1692	1750	1809	1869	1928	1989	2049	2110	2172	2234
2000	1528	1587	1647	1707	1767	1828	1889	1951	2013	2076	2139	2203	2267	2331
2200	1575	1635	1696	1758	1820	1882	1945	2008	2073	2137	2203	2268	2361	2428
2400	1620	1683	1746	1809	1873	1938	2002	2067	2133	2199	2266	2333	2455	2525
2600	1667	1732	1796	1861	1927	1993	2060	2126	2194	2262	2330	2399	2550	2622
2800	1714	1780	1846	1914	1981	2049	2117	2186	2255	2325	2394	2464	2645	2719
3000	1761	1829	1897	1966	2035	2104	2175	2246	2317	2388	2459	2530	2739	2816
3200	1809	1879	1949	2019	2090	2161	2233	2306	2379	2450	2522	2594	—	—
3400	1857	1929	2000	2073	2145	2218	2291	2365	2440	2512	2586	—	—	—
3600	1906	1979	2052	2126	2199	2273	2349	2425	2502	2575	2650	—	—	—
3800	1954	2029	2104	2181	2255	2330	2407	2485	2563	2637	—	—	—	—
4000	2003	2080	2157	2235	2309	2386	2465	2545	2625	2701	—	—	—	—
4200	2053	2132	2210	2290	—	—	—	—	—	—	—	—	—	—
4400	2102	2183	2264	2345	—	—	—	—	—	—	—	—	—	—
4600	2152	2235	2317	2400	—	—	—	—	—	—	—	—	—	—
4800	2204	2286	2370	2455	—	—	—	—	—	—	—	—	—	—
5000	2254	2339	2424	2511	—	—	—	—	—	—	—	—	—	—
5200	2305	2390	2477	2565	—	—	—	—	—	—	—	—	—	—
5400	2356	2442	2531	2621	—	—	—	—	—	—	—	—	—	—
5600	2407	2495	2584	2677	—	—	—	—	—	—	—	—	—	—
5800	2459	2546	2637	2732	—	—	—	—	—	—	—	—	—	—
6000	2511	2604	2697	2790	—	—	—	—	—	—	—	—	—	—

Dimensions are in mm, amounts in EUR. Always count the next higher blind size. The price list is valid as of 5. 1. 2026.

SURCHARGES

	Price	
Motor Somfy Maestria WT	32 EUR	
Motor Somfy Maestria+ 50 io	124 EUR	
Motor Gaposa radio-controlled	45 EUR	
Motor Somfy Solar standard	490 EUR	
Motor Gaposa Solar standard	245 EUR	
Motor Gaposa Solar external	300 EUR	
Somfy 10 m extension cable – without Hirschmann STAS 3	55 EUR	
5 m motor cable for Gaposa – without Hirschmann STAS 3	27 EUR	
10 m motor cable for Gaposa – without Hirschmann STAS 3	37 EUR	
Unification of the bottom bar	8 EUR	price per ordinary meter
Guiding rail holder SV	27 EUR	
Guiding rail holder SV double	46 EUR	
H box support + distance washer under the guide profile (only for ZIP100)	41 EUR	price per set
P box support + distance washer under the guide profile (only for ZIP100)	41 EUR	price per set
Box support (ZIP135 only)	9 EUR	

FABRICS

Atypical fabric	+50% added to the basic price of textile screen
Sergé Xinix 0% (blackout)	+25% added to the basic price of textile screen

WS100

STANDARD DESIGN

Mounting brackets	painted steel
	RAL 7016 fine structure
Shaft	galvanized steel, Ø 78 mm
Control	control by standard wired motor
Fabric	Sergé 3 %, by sample NEVA, with welded reinforcement strips along the fabric edges
	Soltis Perform 92, by sample NEVA
	upper part of the fabric fitted with Fastfix mounting rail
	lower part of the fabric with pocket including plastic keder
Side guidance	guidance by 3 mm stainless steel wire with PVC coating (grey, black)
	wire holders powder-coated in RAL colour
Bottom bar	extruded aluminium, 30 × 26 mm (small profile)
	colour according to RAL
	including weight
	plastic end caps of the bottom bar, black colour



WIRE HOLDER

CEILING MOUNTING

WALL MOUNTING



WS100

HEIGHT	WIDTH								
	mm	800	1000	1200	1400	1600	1800	2000	2200
1000		443	468	493	518	543	568	593	618
1200		454	481	509	537	564	592	620	647
1400		465	495	526	556	586	616	647	677
1600		477	509	542	575	608	641	674	706
1800		488	523	559	594	630	665	700	736
2000		499	537	575	613	651	689	727	765
2200		511	551	592	632	673	714	754	799
2400		522	565	608	652	695	738	781	828
2600		533	579	625	671	717	762	808	858
2800		545	593	642	690	738	787	835	887
3000		556	607	658	709	760	811	862	917
3200		568	621	675	728	782	835	889	946
3400		579	635	691	747	803	860	916	976
3500		585	642	699	757	814	872	929	991

HEIGHT	WIDTH									
	mm	2400	2600	2800	3000	3200	3400	3600	3800	4000
1000		645	671	696	722	752	775	800	826	852
1200		677	705	733	761	794	819	847	876	904
1400		709	740	771	801	836	864	895	926	957
1600		741	774	808	841	879	909	943	976	1009
1800		773	809	845	881	921	954	990	1026	1062
2000		805	844	882	921	963	999	1038	1076	1115
2200		841	882	924	965	1006	1044	1085	1127	1168
2400		873	917	961	1004	1048	1089	1133	1177	1220
2600		905	952	998	1044	1091	1134	1181	1227	1273
2800		938	986	1035	1084	1133	1179	—	—	—
3000		970	1021	1073	1124	1175	—	—	—	—
3200		1002	1056	1110	1164	—	—	—	—	—
3400		1034	1090	1147	—	—	—	—	—	—
3500		1050	1108	—	—	—	—	—	—	—

Dimensions are in mm, amounts in EUR. Always count the next higher blind size. The price list is valid as of 5. 1. 2026.

SURCHARGES

	Price
Motor Somfy Maestria WT	32 EUR
Motor Somfy Maestria+ 50 io	124 EUR
Motor Gaposa radio-controlled	45 EUR
Motor Gaposa Solar external	300 EUR
Somfy 10 m extension cable – without Hirschmann STAS 3	55 EUR
5 m motor cable for Gaposa – without Hirschmann STAS 3	27 EUR
10 m motor cable for Gaposa – without Hirschmann STAS 3	37 EUR

FABRICS

Atypical fabric	+50% added to the basic price of textile screen
------------------------	---

ŽALUZIE NEVA s.r.o.
Háj 370, 798 12 Kralice na Hané
Česká republika

+420 588 003 550
info@neva.eu
neva.eu